



## Safety Data Sheet

FOR INDUSTRIAL USE ONLY

**DANK**

### 1. Identification

**Product Name:** DANK

**QuickMix**

**SDS Number:** 970GP413C

**Product Use:** Industrial

**Manufacturer, Importer, Supplier** Polynt Composites USA, Inc.  
99 East Cottage Avenue  
Carpentersville IL 60110

E-Mail: MSDS@polynt.com

**Telephone** For Emergency Transportation Information  
CHEMTREC US Domestic (800) 424-9300  
CHEMTREC International (703) 527-3887

For additional health, safety or regulatory information, call (847) 836-3659

### 2. Hazard identification

**EMERGENCY OVERVIEW:** Irritating to skin. May cause sensitization of susceptible persons.

**GHS Classification**

Flam. Liq. 4

**Symbol(s) of Product**

No GHS Symbols Exist

**Signal Word**

Warning

**GHS HAZARD STATEMENTS**

Flammable liquid, category 4 H227 Combustible liquid.

**GHS LABEL PRECAUTIONARY STATEMENTS**

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

### 3. Composition/Information on ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>	<u>GHS Symbols</u>	<u>GHS Statements</u>
TITANIUM DIOXIDE	13463-67-7	10 - 20	No Information	No Information
DIETHYLENE GLYCOL	111-46-6	1.0-5.0	GHS08	H373

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

## 4. First-aid measures



**FIRST AID - EYE CONTACT:** If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**FIRST AID - INGESTION:** If ingested, consult a physician.

**FIRST AID - INHALATION:** Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

**FIRST AID - SKIN CONTACT:** Wash with soap and water. Remove contaminated clothes and shoes. Get medical attention if irritation develops.

## 5. Fire-fighting measures

### Extinguishing Media:

**Suitable**

Carbon Dioxide, Dry Chemical, Foam, Water Fog

**Not suitable**

Water Jet

**SPECIAL FIREFIGHTING PROCEDURES:** Use full protective clothing. Use a properly-fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. In case of fire: Use carbon dioxide, dry chemical, foam, water fog to extinguish. Vapors may be ignited by heat, pilot lights, other flames and ignition sources.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** No Information

## 6. Accidental release measures

**ENVIRONMENTAL MEASURES:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Dike to prevent entering any sewer or waterway. Transfer liquid to a holding container. Avoid breathing vapors or mists. Use non-sparking tools and equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

**PRECAUTIONARY MEASURES:** No Information

## 7. Handling and storage



**HANDLING:** Wash contaminated clothing before reuse. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Use only in well-ventilated areas. Keep away from heat and sources of ignition. Do not breathe vapors, mist or gas.

**STORAGE:** Store contents under 100F (37.8C). Keep container closed when not in use. Store and dispose according to national, state and local regulations.

**HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. General industrial hygiene practice. Wash hands before eating, drinking, or smoking.

**WORK PRACTICES:** Put on appropriate personal protective equipment. Wash hands after handling chemicals and before eating, drinking, or smoking. Read and understand entire SDS before handling chemical.

**SPECIAL HANDLING PROCEDURES:** Put on appropriate personal protective equipment. Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

## 8. Exposure controls/personal protection

**Ingredients with Occupational Exposure Limits**

<u>Chemical Name</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA CEILING</u>
TITANIUM DIOXIDE	10 mg/m3	N.E.	15 mg/m3	N.E.
DIETHYLENE GLYCOL	N.E.	N.E.	N.E.	N.E.

**Further Advice:** MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation  
 Sk = Skin Sensitizer N.E. = Not Established

**Personal Protection**

**RESPIRATORY PROTECTION:** When concentrations exceed the exposure limits specified, use of a NIOSH-approved dust, mist and fume respirator is recommended. Where the protection factor of the respirator may be exceeded, use of a full facepiece, supplied air, or Self Contained Breathing Apparatus (SCBA) may be necessary. Use a properly-fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.



**SKIN PROTECTION:** Wear suitable protective equipment. Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body suit as appropriate.



**EYE PROTECTION:** Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses with side-shields. Wear chemical-resistant glasses and/or goggles and a face shield when eye and face contact is possible due to splashing or spraying of material.



**OTHER PROTECTIVE EQUIPMENT:** Use good hygiene practices. Wash face and hands before eating, drinking, and smoking. Eye wash and safety showers should be readily available.



**HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. General industrial hygiene practice. Wash hands before eating, drinking, or smoking.

**9. Physical and chemical properties**

<b>Color:</b>	Green	<b>Physical State:</b>	Liquid
<b>Odor:</b>	Moderate aromatic	<b>Odor Threshold:</b>	Not Available
<b>Density, g/cm3:</b>	1.449	<b>pH:</b>	Not Available
<b>Freeze Point, °C:</b>	Not Available	<b>Viscosity:</b>	Not Available
<b>Solubility in Water:</b>	Insoluble	<b>Partition Coefficient, n-octanol/ water:</b>	Not Available
<b>Decomposition Temp., °C:</b>	Not Available	<b>Flash Point, °C / F°</b>	93 / 200
<b>Boiling Range, °C:</b>	999	<b>Explosive Limits, vol%:</b>	Not Available
<b>Vapor Pressure:</b>	Not Available	<b>Auto-ignition Temp., °C:</b>	Not Available

(See "Other information" Section for abbreviation legend)

**10. Stability and reactivity**

**STABILITY:** Stable under normal conditions.

**CONDITIONS TO AVOID:** Heat. Burning may produce obnoxious and toxic fumes.

**INCOMPATIBILITY:** Water.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None under normal use.

## 11. Toxicological information



### Practical Experiences

**EFFECT OF OVEREXPOSURE - EYE CONTACT:** Exposure may cause mild irritation. Symptoms may include stinging, tearing, and redness.

**EFFECT OF OVEREXPOSURE - INGESTION:** Harmful if swallowed. May cause severe gastrointestinal disturbance with headache, nausea, vomiting and diarrhea. No information found.

**EFFECT OF OVEREXPOSURE - INHALATION:** Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes). Inhalation of high concentrations may cause headache, nausea, and dizziness. Prolonged, repeated or high exposures may cause central nervous system depression leading to headaches, nausea, drowsiness, dizziness, and possibly narcosis. In extreme cases, may cause loss of consciousness.

**EFFECT OF OVEREXPOSURE - SKIN CONTACT:** Prolonged or repeated contact can cause slight skin irritation, reddening, swelling.

**EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS:** No Information

**CARCINOGENICITY:** This product does not contain any substances identified as carcinogenic by either IARC or NTP. This product may contain Titanium Dioxide, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals. This classification is relevant when exposed to titanium dioxide in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

**PRIMARY ROUTE(S) OF ENTRY:** Eye Contact, Ingestion, Inhalation, Skin Contact

### Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u>	<u>Name according to EEC</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Vapor LC50</u>
13463-67-7	TITANIUM DIOXIDE	>10000 mg/kg Rat	N.I.	N.I.
111-46-6	DIETHYLENE GLYCOL	12565 mg/kg Rat	11890 mg/kg Rabbit	N.I.

N.I. = No Information

## 12. Ecological information

**ECOLOGICAL INFORMATION:** Ecological evaluation of this material has not been performed; however, do not allow the product to be released to the environment without governmental approval/permits. Discharge into the environment must be avoided.

## 13. Disposal considerations



**DISPOSAL METHOD:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should always comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

## 14. Transport information

**SPECIAL TRANSPORT PRECAUTIONS:** No Information

**International transport regulations**

Regulatory Information:	UN/NA Number	Proper Shipping Name	Classes/ *PG	Reportable Quantity (RQ)
CFR		Not regulated		
IMO/IMDG		Not regulated		
IATA		Not regulated		

**15. Regulatory information****U.S. Federal Regulations:****CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

<u>Chemical Name</u>	<u>CAS-No.</u>
BENZOIC ACID	65-85-0

**SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

<u>Chemical Name</u>	<u>CAS-No.</u>
ALUMINA (ALUMINUM OXIDE)	1344-28-1

**TOXIC SUBSTANCES CONTROL ACT:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA components exist in this product.

**U.S. State Regulations:****NEW JERSEY RIGHT-TO-KNOW:**

The following hazardous materials are listed.

<u>Chemical Name</u>	<u>CAS-No.</u>
TITANIUM DIOXIDE	13463-67-7
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8
STYRENE MONOMER	100-42-5
HYDROQUINONE	123-31-9
ISOPROPYL ALCOHOL	67-63-0
MINERAL SPIRITS	8032-32-4
ETHYLBENZENE	100-41-4

**PENNSYLVANIA RIGHT-TO-KNOW**

The following hazardous ingredients are present:

<u>Chemical Name</u>	<u>CAS-No.</u>
TITANIUM DIOXIDE	13463-67-7
DIETHYLENE GLYCOL	111-46-6
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8
STYRENE MONOMER	100-42-5
HYDROQUINONE	123-31-9
ISOPROPYL ALCOHOL	67-63-0
MINERAL SPIRITS	8032-32-4
ETHYLBENZENE	100-41-4

**U.S. State Regulations:****MASSACHUSETTS RIGHT-TO-KNOW:**

The following hazardous materials are listed.

<u>Chemical Name</u>	<u>CAS-No.</u>
TITANIUM DIOXIDE	13463-67-7
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8
STYRENE MONOMER	100-42-5
HYDROQUINONE	123-31-9
ISOPROPYL ALCOHOL	67-63-0
ETHYLBENZENE	100-41-4

**CALIFORNIA PROPOSITION 65 CARCINOGENS**

Warning: This product contains a chemical known to the state of California to cause cancer.

<u>Chemical Name</u>	<u>CAS-No.</u>
TITANIUM DIOXIDE	13463-67-7
STYRENE MONOMER	100-42-5
ETHYLBENZENE	100-41-4

**CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

Warning: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

No Proposition 65 Reproductive Toxins exist in this product.

**International Regulations**

<b>Chemical Inventories</b>	<b>Australia inventory (AICS)</b>	All components are listed or exempted
	<b>Canada inventory (DSL)</b>	Not listed
	<b>Japan Inventory (ENCSC)</b>	Not listed
	<b>China Inventory (IECSC)</b>	Not listed
	<b>Korea Inventory (KECI)</b>	All components are listed or exempted
	<b>New Zealand (NZIoC)</b>	All components are listed or exempted
	<b>Philippines (PICCS)</b>	Not listed
	<b>United States Inventory (TSCA 8b)</b>	All components are listed or exempted

**16. Other information**

<b>Revision Date:</b>	2/12/2018	<b>Supersedes Date:</b>	New SDS
<b>Reason for revision:</b>	No Information		
<b>Datasheet produced by:</b>	Regulatory Department		

**HMIS Ratings:**

<b>Health:</b>	1	<b>Flammability:</b>	1	<b>Reactivity:</b>	0	<b>Personal Protection:</b>	N.I.	<b>Chronic Rating:</b>	N.I.
----------------	---	----------------------	---	--------------------	---	-----------------------------	------	------------------------	------

**Text for GHS Hazard Statements shown in Section 3 describing each ingredient:**

H373 May cause damage to organs through prolonged or repeated exposure.

**Icons for GHS Pictograms shown in Section 3 describing each ingredient:**

**GHS08**



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided herein was believed by Polynt Composites USA, Inc. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Polynt Composites USA, Inc. are subject to Polynt Composites USA, Inc terms and conditions of sale. Polynt Composites USA, Inc. **MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY Polynt Composites USA, Inc, except that the product shall conform to Polynt Composites USA, Inc. specifications. Nothing contained herein constitutes an offer for the sale of any product.**